

# SHANK ADAPTERS




# SHANK ADAPTERS

Compatible with the drifter of manufacturer:

Epiroc · Furukawa · Gardner Denver · Ingersoll Rand · Montabert · Sandvik





# SHANK ADAPTERS

## Index

### Epiroc

BBC 51, 52, 54, 120	79
BBE 57, 5701	79
COP MD20	79
COP 125, 130, 131	79
COP 1036, 1038 HD/HB, 1238	80
COP 1038 HL, 1238	80
COP 1132	80
COP 1140, 1435	80
COP 1432, 1440, 1532, 1550, 1638, 1838, 2238	81
COP 1440, 1550, 1838	81
COP 1550 EX, 1838 EX	81
COP 1838MUX/HUX	82
COP 1240, 1640, 1840HE	82
COP 1240EX, 1640EX, 1840EX, 1850EX, 2150EX, 2540EX, 2550EX	82
COP 2150, 2550	82
COP 2160, 2560	83
COP 2160 EX, 2560 EX	83
COP 2550UX	83
COP 2560EX+	84
COP 3038HE	84
COP 3060ME	84
COP 3060MEX	84
COP 3060MUX	85
COP 4050MUX	85

### Furukawa

HD 300	86
HD 609	86
HD 612	86

HD 709	86
HD 709RP	87
HD 712	87
HD 712RP	87
HD 715	87
HD 715RP	88
HD 836	88
PD 200, M 120	88

### Gardner Denver

HPR 2	89
HPR 5123	89

### Ingersoll Rand

HYD 200 Female	90
YH 65, 70, 80	90
YH 70A	90
YH 65RP, 70RP, 80RP	90
YH 80A	91
YH 110V, 124, 135	91

### Montabert

HC 20 Female	92
HC 25 Female	92
HC 40 Female	92
HC 40, 50	92
HC 40, 50	93
HC 80, 90, 105	93
HC 80RP	93
HC 95RP	93

HC 95RP	94
HC 110	94
HC 120, 150	94
HC 120RP, 150RP	94
HC 160, 170	95
HC 200	95

### Sandvik


HL 300	96
L 400, 410, 500, 510, 550	96
HL 300S Female	96
RD 314 Female	96
RD 314	97
HL 500S, 510S	97
HL 500, 510, 510S, 550S, 560S	97
HLX 5, 5T, RDX 5	97
RD 520, 525	98
HL 600, 600S	98
HL 650, 700, 800T	98
HL 650, 700, 800T	99
RD 900PE	99
HL 1000, 1000S, 1010, 1010S	99
HL 1000, 1010	100
HL 1000 PE, 1010 PE, 1060T, 1060T PE, 1560T, 1560T PE	100
HL 1060T, 1500T, 1560T	100
HL 1500, 1500T	100
HL 1500	101
HL 1500T PE-90	101

# SHANK ADAPTERS for drifters of EPIROC

**BBC**  
**BBE**  
**COP**


Flushing	Thread	Length L	Diameter D	Product number	Weight
[mm]		[mm]	[mm]		[kg]

**BBC 51, 52, 54, 120**



10	R32	380	38	06F-07-3188	2,6
10	C38	390	38	06F-07-3189	3,1

**BBE 57, 5701**



14	C38	538	44	06F-07-3190	5,3
----	-----	-----	----	-------------	-----

**COP MD20**



-	C38	470	38	3000047	4,4
---	-----	-----	----	---------	-----


**COP 125, 130, 131**




14	C38	380	38	06F-07-3191	3,0
----	-----	-----	----	-------------	-----

# COP SHANK ADAPTERS for drifters of EPIROC

COP 1036, 1038 HD/HB, 1238




COP 1038 HL, 1238



COP 1132



COP 1140, 1435



Flushing	Thread	Length	Diameter	Product number	Weight
[mm]		L [mm]	D [mm]		[kg]
-	R38	485	38	06F-07-2720	4,2
-	C38	485	38	06F-07-2430	4,2
-	R32	500	38	06F-07-2820	4,0
-	C38	500	38	06F-07-2822	4,4
-	C45	500	45	06F-07-2823	5,0
-	C38	575	38	06F-07-2829	4,9
-	C38	575	45	06F-07-2833	4,9
-	C45	575	45	06F-07-2834	5,8
-	R32	410	35	06F-07-3118	2,5
-	R32	500	35	3000019	3,1
-	R32	410	35	3000038	2,8

# SHANK ADAPTERS for drifters of **EPIROC** **COP**

COP 1432, 1440, 1532, 1550, 1638, 1838, 2238




Flushing	Thread	Length L	Diameter D	Product number	Weight
[mm]		[mm]	[mm]		[kg]
-	R32	435	38	06F-07-2431	3,6
-	R38	435	38	06F-07-2719	3,9
-	C38	435	38	06F-07-0487	3,9

COP 1432, 1440, 1532, 1550, 1638, 1838, 2238




-	R32	525	38	06F-07-2432	4,0
-	R38	525	38	06F-07-2835	4,7
-	C38	525	38	06F-07-2662	4,4

COP 1440, 1550, 1838



-	C38	525	52	06F-07-2838	5,9
-	C45	525	52	06F-07-2337	6,2
-	C51	525	52	06F-07-2839	6,8


COP 1550 EX, 1838 EX



-	C38	730	60	06F-07-3196	9,8
-	C45	730	60	06F-07-3197	10,2

# COP SHANK ADAPTERS for drifters of EPIROC


COP 1838MUX/HUX



Flushing	Thread	Length	Diameter	Product number	Weight
[mm]		L [mm]	D [mm]		[kg]

-	C38	730	52	06F-07-6980	9,6
-	C45	730	52	06F-07-6553	9,9

COP 1240, 1640, 1840HE



-	C38	565	52	06F-07-2840	7,5
-	C45	565	52	06F-07-2841	6,9
-	C51	565	52	06F-07-0472	7,1

COP 1240EX, 1640EX, 1840EX, 1850EX, 2150EX, 2540EX, 2550EX



-	C38	770	60	06F-07-4685	10,0
-	C45	770	60	06F-07-2740	10,9
-	C51	770	60	06F-07-3373	11,2

COP 2150, 2550



-	C51	770	52	06F-07-3374	9,9
---	-----	-----	----	-------------	-----

# SHANK ADAPTERS for drifters of EPIROC

# COP

**COP 2160, 2560**




Flushing [mm]	Thread	Length L [mm]	Diameter D [mm]	Product number	Weight [kg]
-	C45	770	60	06F-07-6890	11,6
-	C51	770	60	06F-07-6499	12,1

**COP 2160 EX, 2560 EX**




-	C45	770	63	06F-07-3375	13,3
-	C51	770	63	06F-07-3376	13,5

**COP 2550UX**



-	C45	770	60	3000138	12,8
---	-----	-----	----	---------	------

**COP 2550UX**



-	CT58	770	77	3000099	19,4
---	------	-----	----	---------	------




# COP SHANK ADAPTERS for drifters of EPIROC

**COP 2560EX+**




**COP 3038HE**



**COP 3060ME**



**COP 3060MEX**



Flushing	Thread	Length L	Diameter D	Product number	Weight
[mm]		[mm]	[mm]		[kg]

-	C45	770	63	3000024	13,2
-	C51	770	63	06F-07-0900	14,0


-	C38	435	45	06F-07-5752	4,5
---	-----	-----	----	-------------	-----

-	RG60	840	60	3000269	16,4
---	------	-----	----	---------	------


-	C51	840	60	3000172	15,9
-	RG60	840	60	06F-07-6407	17,0

# SHANK ADAPTERS for drifters of **EPIROC** **COP**

**COP 3060MUX**







**COP 4050MUX**



Flushing	Thread	Length L	Diameter D	Product number	Weight
[mm]		[mm]	[mm]		[kg]
-	CT58	745	90	3000206	23,8
-	CT68	745	90	3000207	24,5

-	CT68	835	90	2000771	26,8
---	------	-----	----	---------	------

**HD****SHANK ADAPTERS** for drifters of **FURUKAWA**

Flushing	Thread	Length L	Diameter D	Product number	Weight
[mm]		[mm]	[mm]		[kg]
16	C38	655	45	06F-07-3200	6,2
16	C45	655	45	06F-07-3201	6,5
-	C38	620	45	06F-07-2844	6,0
-	C45	620	45	06F-07-2845	6,6
-	C38	690	45	06F-07-3202	6,4
-	C45	690	45	06F-07-4952	6,8
-	C45	710	51	06F-07-2742	8,7
-	C51	710	51	06F-07-4562	9,2
-	C38	590	45	06F-07-4968	6,0
-	C45	590	45	06F-07-4969	6,4
-	C38	620	45	06F-07-2846	6,4
-	C45	620	45	06F-07-4400	6,7

# SHANK ADAPTERS for drifters of FURUKAWA

**HD**

**HD 709RP**



Flushing	Thread	Length L	Diameter D	Product number	Weight
[mm]		[mm]	[mm]		[kg]
-	C38	785	45	06F-07-4970	9,2
-	C45	785	45	06F-07-0486	9,5
-	C38	815	45	06F-07-4971	9,3
-	C45	815	45	06F-07-0485	9,6

**HD 712**



-	C45	590	51	06F-07-4972	8,7
-	C51	590	51	06F-07-4973	8,8
-	C45	790	51	06F-07-2200	10,5
-	C51	790	51	06F-07-4564	10,9

**HD 712RP**



-	C45	785	51	06F-07-4976	10,0
-	C51	785	51	06F-07-4978	11,0
-	C45	885	51	06F-07-4977	12,5
-	C51	885	51	06F-07-0484	13,5

**HD 715**



-	C51	790	58	06F-07-4109	12,5
---	-----	-----	----	-------------	------


# HD PD

## SHANK ADAPTERS for drifters of FURUKAWA

HD 715RP



HD 836



PD 200, M 120



Flushing	Thread	Length L	Diameter D	Product number	Weight
[mm]		[mm]	[mm]		[kg]

-	C45	885	58	06F-07-4981	14,4
-	C51	885	58	06F-07-3872	15,9


-	RG60	794	68	3000178	16,7
---	------	-----	----	---------	------

14	R32	380	44	06F-07-3377	3,4
14	C38	380	44	06F-07-3199	3,7
14	C38	446	44	06F-07-0480	4,5

# SHANK ADAPTERS for drifters of **GARDNER DENVER** **HPR**


Flushing	Thread	Length L	Diameter D	Product number	Weight
[mm]		[mm]	[mm]		[kg]

**HPR 2**



-	C51	914	51	06F-07-4362	14,1
---	-----	-----	----	-------------	------


**HPR 5123**



-	C51	770	51	06F-07-5965	12,0
---	-----	-----	----	-------------	------

# HYD YH


## SHANK ADAPTERS for drifters of INGERSOLL RAND




**YH 65, 70, 80**



**YH 70A**




**YH 65RP, 70RP, 80RP**




Flushing	Thread	Length L	Diameter D	Product number	Weight
[mm]		[mm]	[mm]		[kg]
-	R32	351	45	06F-07-3428	3,8
19	C38	495	45	06F-07-0476	5,0
19	C45	495	45	06F-07-2713	5,4
12	C38	580	45	06F-07-5053	5,5
12	C45	580	45	06F-07-5054	5,5
15	C45	610	45	06F-07-5616	6,8
15	C38	613	45	06F-07-6321	6,2
-	C38	585	45	06F-07-6254	6,8
19	C45	700	45	06F-07-4450	8,0
13	C38	820	45	06F-07-5302	9,0
13	C45	820	45	06F-07-5301	9,0

# SHANK ADAPTERS for drifters of **INGERSOLL RAND**

**YH**




Flushing	Thread	Length L [mm]	Diameter D [mm]	Product number	Weight [kg]
19	C45	495	51	06F-07-2714	5,9
19	C45	638	51	06F-07-6325	7,8
19	C51	638	51	06F-07-5382	7,9



-	C51	728	55	06F-07-5290	13,6
-	C51	890	55	06F-07-5384	13,7




HC 20 Female



HC 25 Female



HC 40 Female



HC 40, 50



Flushing	Thread	Length L	Diameter D	Product number	Weight
[mm]		[mm]	[mm]		[kg]
-	R32	187	45	06F-07-5035	1,8
-	R32	202	45	06F-07-5036	2,0
-	R32	270	45	06F-07-3380	2,8
-	R32	372	38	06F-07-6806	3,4
-	C38	372	38	3000018	3,5
-	R38	381	38	06F-07-5637	3,7
-	R32	388	38	06F-07-7037	3,5

# SHANK ADAPTERS for drifters of MONTABERT


# HC

HC 40, 50




Flushing	Thread	Length L	Diameter D	Product number	Weight
[mm]		[mm]	[mm]		[kg]
-	C38	438	38	06F-07-7036	3,6
-	R32	440	38	06F-07-7038	3,5
-	R32	447	38	06F-07-2741	3,5
-	C38	447	38	06F-07-4336	4,0

HC 80, 90, 105



-	R32	440	38	06F-07-4988	3,6
-	R38	440	38	06F-07-2144	3,9
-	C38	440	38	06F-07-4955	3,9
-	C38	450	38	06F-07-2434	4,0
-	C38	508	38	06F-07-3381	4,2

HC 80RP




-	C38	670	45	06F-07-4337	7,2
-	C45	670	45	06F-07-2715	7,9

HC 95RP



-	R38	503	45	3000011	6,0
-	C38	503	45	06F-07-6557	6,5

**HC 95RP**



Flushing	Thread	Length	Diameter	Product number	Weight
[mm]		L [mm]	D [mm]		[kg]


-	R32	503	45	3000032	5,7
-	C38	503	45	3000033	6,0

**HC 110**



-	C38	415	45	06F-07-3572	4,6
-	C45	425	45	06F-07-3573	5,0

**HC 120, 150**



-	C38	490	45	06F-07-5163	5,4
-	C45	490	45	06F-07-3204	5,8

**HC 120RP, 150RP**




-	C45	670	51	06F-07-4989	8,6
-	C51	670	51	06F-07-2032	9,3

# SHANK ADAPTERS for drifters of MONTABERT

**HC**

**HC 160, 170**



Flushing	Thread	Length L [mm]	Diameter D [mm]	Product number	Weight [kg]
----------	--------	---------------------	-----------------------	----------------	----------------

-	C51	807	60	06F-07-3157	15,0
---	-----	-----	----	-------------	------

**HC 200**



-	C51	840	51	06F-07-2743	13,6
---	-----	-----	----	-------------	------

# HL L RD

## SHANK ADAPTERS for drifters of SANDVIK

Flushing	Thread	Length L	Diameter D	Product number	Weight
[mm]		[mm]	[mm]		[kg]

HL 300



-	R32	400	32	06F-07-2771	2,6
---	-----	-----	----	-------------	-----

L 400, 410, 500, 510 & 550



-	R32	380	32	06F-07-2776	2,0
---	-----	-----	----	-------------	-----

HL 300S Female



-	R32	245	45	06F-07-2198	2,6
---	-----	-----	----	-------------	-----

RD 314 Female



-	R32	205	45	06F-07-4920	2,0
---	-----	-----	----	-------------	-----

# SHANK ADAPTERS for drifters of SANDVIK

**RD**  
**HL**  
**HLX**  
**RDX**

**RD 314**



Flushing	Thread	Length L	Diameter D	Product number	Weight
[mm]		[mm]	[mm]		[kg]
-	R32	410	38	3000197	3,3

**HL 500S, 510S**



-	R32	460	38	06F-07-2335	3,7
-	R38	460	38	06F-07-2721	3,9
-	C38	460	38	06F-07-2371	4,0
-	R38	500	38	06F-07-2787	3,9
-	C38	500	38	06F-07-2788	4,0

**HL 500, 510, 510S, 550S, 560S**



-	R38	500	45	06F-07-2789	5,3
-	C38	500	45	06F-07-2790	5,3
-	R32	550	45	06F-07-2494	5,3
-	C38	550	45	06F-07-0483	5,3
-	C45	550	45	06F-07-2527	5,8


**HLX 5, 5T, RDX 5**



-	R32	500	45	06F-07-2791	5,1
-	R38	500	45	06F-07-2792	5,4
-	C38	500	45	06F-07-2334	5,4
-	R32	575	45	06F-07-2793	5,5
-	C38	575	45	06F-07-2795	6,0
-	C45	575	45	06F-07-4837	5,8

## SHANK ADAPTERS for drifters of SANDVIK

RD 520, 525



Flushing	Thread	Length L	Diameter D	Product number	Weight
[mm]		[mm]	[mm]		[kg]
-	C38	525	45	06F-07-5753	5,7
-	C45	525	45	3000023	5,8
-	C38	600	45	06F-07-0901	6,2
-	C38	745	45	06F-07-0835	7,7

HL 600, 600S




-	C38	525	45	06F-07-2797	5,7
-	C38	600	45	06F-07-2798	6,2
-	C45	600	45	06F-07-2799	6,3

HL 600, 600S



-	C45	650	52	06F-07-2801	6,4
-	C51	650	52	06F-07-2802	6,4

HL 650, 700, 800T




-	C38	600	45	06F-07-2805	7,0
-	C45	600	45	06F-07-2806	7,5

# SHANK ADAPTERS for drifters of SANDVIK


**RD**  
**HL**

HL 650, 700, 800T




Flushing	Thread	Length L	Diameter D	Product number	Weight
[mm]		[mm]	[mm]		[kg]
-	C38	600	52	06F-07-0482	8,0
-	C45	600	52	06F-07-2182	8,5
-	C51	600	52	06F-07-2331	8,6

RD 900PE




-	C45	820	52	3000244	10,7
-	C51	820	52	3000249	11,4

RD 900PE



-	CT58	670	65	3000211	14,2
---	------	-----	----	---------	------

HL 1000, 1000S, 1010, 1010S




-	C51	590	52	06F-07-2813	9,3
-	C45	670	52	06F-07-2812	10,0
-	C51	670	52	06F-07-2814	10,7




## SHANK ADAPTERS for drifters of SANDVIK

HL 1000, 1010




HL 1000 PE, 1010 PE, 1060T, 1060T PE, 1560T, 1560T PE



HL 1060T, 1500T, 1560T



HL 1500, 1500T



Flushing	Thread	Length L	Diameter D	Product number	Weight
[mm]		[mm]	[mm]		[kg]

-	C51	670	60	06F-07-2815	12,5
-	RG60	670	60	06F-07-3360	12,9

-	C51	760	65	06F-07-3186	15,9
-	RG60	760	65	06F-07-3232	16,9


-	RG60	760	80	06F-07-5460	21,0
---	------	-----	----	-------------	------

-	C51	760	60	06F-07-3363	13,3
-	RG60	760	60	06F-07-3364	14,7

# SHANK ADAPTERS for drifters of SANDVIK

**HL**


**HL1500**



Flushing	Thread	Length L	Diameter D	Product number	Weight
[mm]		[mm]	[mm]		[kg]

-	CT68	635	80	3000006	18,4
---	------	-----	----	---------	------

**HL1500T PE-90**



-	CT58	635	90	3000209	21,9
-	CT68	635	90	2000528	22,7